



LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY. DOCKET NO.

10173-073

APPLICATION NO.

09/924,222

APPLICANT

Rodriguez et al.

FILING DATE

August 7, 2001

GROUP

1615

U.S. PATENT DOCUMENTS


*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
W	AA	4,186,183	01/29/80	Steck et al.			
	AB	4,187,180	2/5/80	Joh			
	AC	4,217,344	8/12/80	Vanlerberghe et al.			
	AD	4,247,393	1/27/81	Wallace			
	AE	4,261,975	4/14/81	Fullerton et al.			
	AF	4,485,054	11/27/84	Mezei et al.			
	AG	4,532,089	7/30/85	MacDonald			
	AH	4,663,167	5/5/87	Lopez-Berestein et al.			
	AI	4,774,085	9/27/88	Fildler			
	AJ	4,804,539	2/14/89	Guo			
	AK	4,812,314	3/14/89	Barenholz et al.			
	AL	4,895,719	1/23/90	Radhakrishnan et al.			
	AM	4,923,439	5/8/90	Seidel			
	AN	4,946,787	8/7/90	Eppstein et al.			
	AO	4,978,654	12/18/90	Lopez-Berestein et al.			
	AP	5,013,556	5/7/91	Woodle et al.			
	AQ	5,015,483	5/14/91	Haynes et al.			
	AR	5,077,056	12/31/91	Bally et al.			
	AS	5,180,366	1/19/93	Woods			
	AT	5,204,112	4/20/93	Hope et al.			
	AU	5,219,888	6/15/93	Katocs Jr. et al.			
	AV	5,225,212	7/6/93	Martin et al.			
	AW	5,231,090	7/27/89	Hsia et al.			
	AX	5,250,060	10/5/93	Carbo et al.			
	AY	5,252,263	11/12/93	Hope et al.			
	AZ	5,376,452	12/27/94	Hope et al.			
	BA	5,405,832	4/11/95	Potempa			
	BB	5,427,926	6/27/95	Buonassisi et al.			
	BC	5,489,611	02/06/96	Lee et al.			
	BD	5,527,538	6/18/96	Baldeschweela			
	BE	5,556,637	9/17/96	Hager et al.			

TECH CENTER 1600/2900

AUG 14 2002

RECEIVED

BF	5,595,756	1/21/97	Bally et al.		
BG	5,599,306	2/4/97	Klein et al.		
BH	5,622,715	4/22/97	Barenholz et al.		
BI	5,637,315	6/10/97	Zern et al.		
BJ	5,674,488	10/7/97	Reich		
BK	5,705,385	1/6/98	Bally et al.		
BL	5,741,514	04/21/98	Barenholz et al.		
BM	5,741,517	04/21/98	Hager et al.		
BN	5,753,613	5/19/98	Ansell et al.		
BO	6,139,871	10/31/00	Hope		
BP	6,312,719	11/6/01	Hope et al.		



TECH CENTER 100/1000

RECEIVED
AUG 14 2002


FOREIGN PATENT DOCUMENTS


		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
BQ	DE 40 18 767 A1	12/19/91	Germany					
BR	EP 0 234 919 B1	09/02/87	EPC					
BS	EP 0 461 559 B1	12/18/91	EPC					
BT	EP 0 470 437	02/12/92	EPC					
BU	WO 86/01404	3/13/86	PCT					
BV	WO 88/09345	12/01/88	PCT					
BW	WO 91/17424	11/14/91	PCT					
BX	WO 95/23592	09/08/95	PCT					

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

BY	Adams et al. Effect of oral polyunsaturated lecithin on the development of atheroma and fatty liver in the cholesterol-fed rabbit. <i>J. Pathol. Bacteriol.</i> 1969, 97:35-41
BZ	Adams et al. Modification of aortic atheroma and fatty liver in cholesterol-fed rabbits by intravenous injection of saturated and polyunsaturated lecithins. <i>J. Pathol. Bacteriol.</i> 1967, 94:777-87
CA	Allen et al. A new strategy for attachment of antibodies to sterically stabilized liposomes resulting in efficient targeting to cancer cells. <i>Biochim Biophys Acta.</i> 1995 Jul 26;1237(2):99-108
CB	Allen, J. of <i>Liposome Res.</i> 1992, 2(3):289-305
CC	Altman et al. Phospholipids in experimental atherosclerosis. <i>Arzneimittelforschung.</i> 1974 Jan;24(1):11-6.
CD	Aviram et al. Intralipid infusion abolishes ability of human serum to cholesterol-load cultured macrophages. <i>Arteriosclerosis.</i> 1989 Jan-Feb;9(1):67-75
CE	Aviram et al. Macrophage cholesterol removal by triglyceride-phospholipid emulsions. <i>Biochem Biophys Res Commun.</i> 1988 Sep 15;155(2):709-13
CF	Bally et al. Novel procedures for generating and loading liposomal systems. In <i>Liposomes as drug carriers: Recent Trends and Progress</i> (Gregoriadis G., ed.) Pp841-853, John Wiley & Sons Ltd., Chichester, England, 1988
CG	Bangham et al. Diffusion of univalent ions across the lamellae of swollen phospholipids. <i>J Mol Biol.</i> 1965 Aug;13(1):238-52
CH	Barclay et al. Partitioning and antioxidant action of the water-soluble antioxidant, Trolox, between the aqueous and lipid phases of phosphatidylcholine membranes: 14C tracer and product studies. <i>Biochim Biophys Acta.</i> 1995 Jul 6;1237(1):77-85


		Bialecki et al. Cholesterol enrichment increases basal and agonist-stimulated calcium influx in rat vascular smooth muscle cells. J Clin Invest. 1991 Dec;88(6):1894-900
	CJ	Bisgaier et al. Effects of apolipoproteins A-IV and A-I on the uptake of phospholipid liposomes by hepatocytes. J Biol Chem. 1989 Jan 15;264(2):862-6
	CK	Bisgaier et al. Effect of lecithin: cholesterol acyltransferase on distribution of apolipoprotein A-IV among lipoproteins of human plasma. J Lipid Res. 1987 Jun;28(6):693-703
	CL	Blaton et al. The human plasma lipids and lipoproteins under influence of EPL-therapy. In <i>Phosphatidylcholine</i> (Peeters, H., ed.) pp 125-132, Springer-Verlag: Berlin, 1976
	CM	Bligh et al. A rapid method of total lipid extraction and purification. Can. J. Biochem. Physiol. 1959; 37:911-917
	CN	Bloomfield VA. Quasi-elastic light scattering applications in biochemistry and biology. Annu Rev Biophys Bioeng. 1981;10:421-50. Review
	CO	Bottger G, Strik W. [Fat embolism] Munch Med Wochenschr. 1970 Jan 9;112(2):51-8. German.
	CP	Byers et al. Effect of infusions of phosphatides upon the atherosclerosis aorta in situ and as an ocular aortic implant. J. Lipid Res. 1960; 1:343-349
	CQ	Campanacci et al. Response of plasma lipid fractions to the administration of exogenous phospholipids. Arzneimittelforschung. 1975 Aug;25; (8):1306-8
	CR	Chakrabarti et al. Influence of charge, charge distribution, and hydrophobicity on the transport of short model peptides into liposomes in response to transmembrane pH gradients. Biochemistry. 1994 Jul 19;33(28):8479-85
	CS	Chisolm et al. Antioxidants and Atherosclerosis: A Current Assessment. Clin. Cardiol. 1991; 14:25-30
	CT	Ciammaichella et al. Polyunsaturated phosphatidyl choline (EPL) in the treatment of cerebral arteriosclerosis and arteriosclerosis of the lower extremities. Clin Ter. 1975 Jul 15; 74(1):55-62. Italian
	CU	Constantinides et al. Production of advanced cholesterol atherosclerosis in the rabbit. Arch. Pathol. 1961; 70:81-102
	CV	Daida et al. Prevention of restenosis after percutaneous transluminal coronary angioplasty by reducing lipoprotein (a) levels with low-density lipoprotein apheresis. Low-Density Lipoprotein Apheresis Angioplasty Restenosis Trial (L-ART) Group. Am J Cardiol. 1994 Jun 1;73(15):1037-40.
	CW	Davidson et al. The effect of high density lipoprotein phospholipid acyl chain composition on the efflux of cellular free cholesterol. J Biol Chem. 1995 Mar 17;270(11):5882-90
	CX	Davidson et al. Association and release of prostaglandin E1 from liposomes. Biochim Biophys Acta. 1997 Jul 5;1327(1):97-106.
	CY	De Caterina R & Lenzi S. Prevention and therapy of vascular damage and endothelial dysfunction with hypocholesteremic agents. G Ital Cardiol. 1998 Feb;28(2):168-77. Review. Italian
	CZ	Deamer et al. Large volume liposomes by an ether vaporization method. Biochim Biophys Acta. 1976 Sep 7;443(3):629-34
	DA	Desmarais et al. Elevated serum lipoprotein(a) is a risk factor for clinical recurrence after coronary balloon angioplasty. Circulation. 1995 Mar 1; 91(5):1403-9
	DB	Dewailly et al. Plasma removal of intravenous essential phospholipids in man. In <i>Phosphatidylcholine</i> . Peeters ed. Berlin: Springer, 1976
	DC	Ellens et al. In vivo fate of large unilamellar sphingomyelin-cholesterol liposomes after intraperitoneal and intravenous injection into rats. Biochim Biophys Acta. 1981 Apr 17; 674(1):10-8
	DD	Ely KR, Firca JR, Williams KJ, Abola EE, Fenton JM, Schiffer M, Panagiotopoulos NC, Edmundson AB. Crystal properties as indicators of conformational changes during ligand binding or interconversion of Mcg light chain isomers. Biochemistry. 1978 Jan 10; 17(1):158-67.
	DE	Farnier & Davignon, Current and future treatment of hyperlipidemia: the role of statins. Am J Cardiol. 1998 Aug 27;82(4B):3J-10J. Review
	DF	Fiske et al. The colorimetric determination of phosphorus. J. Biol. Chem. 1925; 66:375-400
	DG	Fraley et al. Entrapment of a bacterial plasmid in phospholipid vesicles: potential for gene transfer. Proc Natl Acad Sci U S A. 1979 Jul;76(7):3348-52
	DH	Friedman et al. Resolution of aortic atherosclerosis infiltration in the rabbit by phosphatide infusion. Proc. Soc. Exp. Biol. Med., 1957, 95:586-588

		Gould KL. New concepts and paradigms in cardiovascular medicine: the noninvasive management of coronary artery disease. Am J Med. 1998 Jun 22;104(6A):2S-17S. Review
	DJ	Gregoriadis et al. Liposomes in vivo: A relationship between stability and clearance? In <i>Targeting of Drugs with Synthetic Systems</i> (Gregoriadis et al. Eds.), pp183-192, Plenum Press, New York, 1985
	DK	Griffin et al. Appearance and characterization of lipoprotein X during continuous intralipid infusions in the neonate. J Clin Invest. 1979 Dec;64(6):1703-12
	DL	Groop et al. Lipoprotein(a) in type 1 diabetic patients with renal disease. Diabet Med. 1994 Dec;11(10):960-966
	DM	Gwynne HDL and atherosclerosis: An update. Clin. Cardiol. 1991, 14:17-24
	DN	Hernandez-Perera et al. Effects of the 3-hydroxy-3-methylglutaryl-CoA reductase inhibitors, atorvastatin and simvastatin, on the expression of endothelin-1 and endothelial nitric oxide synthase in vascular endothelial cells. J Clin Invest. 1998 Jun 15;101(12):2711-9
	DO	Holman et al. Technics for studying atherosclerosis lesions. Lab. Invest. 1958, 7:42-47
	DP	Hope et al. Generation of multilamellar and unilamellar phospholipid vesicles. Chem. Phys. Lipids; 1986, 40:89-107
	DQ	Hope et al. Production of large unilamellar vesicles by a rapid extrusion procedure. Characterization of size distribution, trapped volume and ability to maintain a membrane potential. Biochim. Biophys. Acta. 1985, 812:55-65
	DR	Horan et al. Kinetic evaluation of lipophilic inhibitors of lipid peroxidation in DLPC liposomes. Free Radic Biol Med. 1994 Dec;17(6):587-96
	DS	Hosoda et al. Antitumor activity of doxorubicin encapsulated in poly(ethylene glycol)-coated liposomes. Biol Pharm Bull. 1995 Sep;18(9):1234-7
	DT	Howard et al. Atherosclerosis induced in hypercholesterolaemic baboons by immunological injury; and the effects of intravenous polyunsaturated phosphatidyl choline. Atherosclerosis. 1971 Jul-Aug;14(1):17-29
	DU	Isele et al. Pharmacokinetics and body distribution of liposomal zinc phthalocyanine in tumor-bearing mice: influence of aggregation state, particle size, and composition. J Pharm Sci. 1995 Feb;84(2):166-73
	DV	Kobashigawa et al. Effect of pravastatin on outcomes after cardiac transplantation. N Engl J Med. 1995 Sep 7;333(10):621-7
	DW	Koga et al. Hepatic "intravenous fat pigment" in infants and children receiving lipid emulsion. J. Pediatr. Surg. 1975, 10:641-648
	DX	Kokoglu et al. Elevated serum Lp(a) levels in the early and advanced stages of breast cancer. Cancer Biochem Biophys. 1994 Sep;14(2):133-6
	DY	Krack et al. Intraperitoneal administration of phosphatidylcholine improves ultrafiltration in continuous ambulatory peritoneal dialysis patients. Perit Dial Int. 1992;12(4):359-64
	DZ	Krupp et al. The in vivo transformation of phospholipid vesicles to a particle resembling HDL in the rat. Biochem Biophys Res Commun. 1976 Oct 18;72(4):1251-8
	EA	Kuriyama et al. Low levels of serum apolipoprotein A I and A II in senile dementia. Jpn J Psychiatry Neurol. 1994 Sep;48(3):589-93.
	EB	Law D.H., Total parenteral nutrition. N. Engl. J. Med. 1977, 297:1104-1107
	EC	Lenzo et al. Effects of phospholipid composition on the metabolism of triacylglycerol, cholesteryl ester and phosphatidylcholine from lipid emulsions injected intravenously in rats. Biochim Biophys Acta. 1988 May 2;960(1):111-8
	ED	Liebler DC, Burr JA. Antioxidant stoichiometry and the oxidative fate of vitamin E in peroxyl radical scavenging reactions. Lipids. 1995 Sep;30(9):789-93.
	EE	Liu et al. pH-sensitive, plasma-stable liposomes with relatively prolonged residence in circulation. Biochim Biophys Acta. 1990 Mar;1022(3):348-54.
	EF	Luscher et al. Lipids and endothelial function: effects of lipid-lowering and other therapeutic interventions. Curr Opin Lipidol. 1996 Aug;7(4):234-40. Review
	EG	Massey et al. Fluorescence assay of the specificity of human plasma and bovine liver phospholipid transfer proteins. Biochim Biophys Acta. 1985 Jun 14;835(1):124-31
	EH	Mauk et al. Stability of lipid vesicles in tissues of the mouse: a gamma-ray perturbed angular correlation study. Proc Natl Acad Sci U S A. 1979 Feb;76(2):765-9

		Maurukas et al. Treatment of experimental atherosclerosis in the rabbit with L, D. alpha (dimyristoyl) lecithin. J. Lab. Clin. Med., 1960, 56:30-37
	EJ	Mayer et al. Vesicles of variable sizes produced by a rapid extrusion procedure. Biochim Biophys Acta. 1986 Jun 13;858(1):161-8.
	EK	Mendez et al. Interaction of rabbit lipoproteins and red blood cells with liposomes of egg yolk phospholipids. Lipids. 1988 Oct;23(10):961-7
	EL	Mercadal et al. N-palmitoylphosphatidylethanolamine stabilizes liposomes in the presence of human serum: effect of lipidic composition and system characterization. Biochim Biophys Acta. 1995 May 4;1235(2):281-8
	EM	Mihail et al. The coronary syndrome in two cases of essential familial hypercholesterolemia (the therapeutic effect of polyene-phosphatidyl-choline). Rev. Roum. Med. Intern., 1973, 10:255-233
	EN	Miyazaki et al. Acetylated low density lipoprotein reduces its ligand activity for the scavenger receptor after interaction with reconstituted high density lipoprotein. J Biol Chem. 1994 Feb 18;269(7):5264-9
	EO	Moghim & Patel Tissue specific opsonins for phagocytic cells and their different affinity for cholesterol-rich liposomes. FEBS Lett. 1988 Jun 6;233(1):143-7
	EP	Nayar et al. Generation of large unilamellar vesicles from long-chain saturated phosphatidylcholines by extrusion technique. Biochim. Biophys. Acta, 1989, 986:200-206
	EQ	Oto et al. Poly(methacrylic acid)-induced liposome aggregation for measuring drug entrapment. Anal Biochem. 1995 Jul 20;229(1):106-11
	ER	Patelski et al. Modification of enzyme activities in experimental atherosclerosis in the rabbit. Atherosclerosis 1970, 12:41-53
	ES	Pearson TA, Dillman J, Williams KJ, Wolff JA, Adams R, Solez K, Heptinstall RH, Malmros H, Sternby N. Clonal characteristics of experimentally induced "atherosclerotic" lesions in the hybrid hare. Science. 1979 Dec 21;206(4425):1423-5
	ET	Phillips et al. Mechanisms and consequences of cellular cholesterol exchange and transfer. Biochim Biophys Acta. 1987 Jun 24;906(2):223-76
	EU	Plane et al. Oxidative modification of low-density lipoproteins and the inhibition of relaxations mediated by endothelium-derived nitric oxide in rabbit aorta. Br J Pharmacol. 1992 Jan;105(1):216-22.
	EV	Prior et al. The hypercholesteremic rabbit. Arch. Path., 1961, 71:82-94
	EW	Rajakumar et al. Antioxidant properties of phenyl styryl ketones. Free Radic Res. 1995 Apr;22(4):309-17
	EX	Ravid et al. Main risk factors for nephropathy in type 2 diabetes mellitus are plasma cholesterol levels, mean blood pressure, and hyperglycemia. Arch Intern Med. 1998 May 11;158(9):998-1004
	EY	Redgrave et al. Effects of sphingomyelin and phosphatidylcholine acyl chains on the clearance of triacylglycerol-rich lipoproteins from plasma. Studies with lipid emulsions in rats. Biochim Biophys Acta. 1992 Jun 5;1126(1):65-72
	EZ	Reynolds GA. Rational therapy of familial hypercholesterolemia. Circulation. 1989 May;79(5):1146-8
	FA	Rodriguez et al. The influence of size and composition on the cholesterol mobilizing properties of liposomes in vivo. Biochim Biophys Acta. 1993 Nov 21;1153(1):9-19
	FB	Rodriguez et al. Structural and metabolic consequences of liposome-lipoprotein interactions. Advanced Drug Delivery Reviews. 32:31-43, 1998
	FC	Rodriguez et al. Large versus small unilamellar vesicles mediate reverse cholesterol transport in vivo into two distinct hepatic metabolic pools. Implications for the treatment of atherosclerosis. Arterioscler Thromb Vasc Biol. 1997 Oct;17(10):2132-9
	FD	Rodriguez et al. Cholesterol mobilization and regression of atheroma in cholesterol-fed rabbits induced by large unilamellar vesicles. Biochim Biophys Acta. 1998 Jan 19;1368(2):306-20.
	FE	Rose et al. Improved procedure for the extraction of lipids from human erythrocytes. J. Lipid Res. 1965, 6:428-431
	FF	Rosenfeld et al. Lipid composition of aorta of Watanabe heritable hyperlipemic and comparably hypercholesterolemic fat-fed rabbits. Plasma lipid composition determines aortic lipid composition of hypercholesterolemic rabbits. Arteriosclerosis. 1988 Jul-Aug;8(4):338-47
	FG	Rudell et al. Determination of cholesterol using o-phthalaldehyde. J. Lipid Res. 1973, 14:364-366



FI	Sachs et al. In vivo effects of inositol phosphatide (Lipositol) in serum lipids and atherosclerosis of hyperlipemic rabbits. <i>J. Appl. Physiol.</i> 1960, 15:983-986
FI	Sahni et al. Prevention of restenosis by lovastatin after successful coronary angioplasty. <i>Am Heart J</i> 1991 Jun;121(6 Pt 1):1600-8
FJ	Schenk et al. Studies on sucrose-palmitate-stearate-containing vesicles encapsulating the cytostatic drug methylglyoxal-bis-guanyl-hydrazone. <i>Pharmazie</i> . 1990 Oct;45(10):747-9
FK	Scherphof et al. Disintegration of phosphatidylcholine liposomes in plasma as a result of interaction with high-density lipoproteins. <i>Biochim Biophys Acta</i> . 1978 Aug 17;542(2):296-307
FL	Schmeeda et al. Cholesterol distribution in rat heart myocytes. <i>Am. J. Physiol.</i> 1995, 268:H759-H766
FM	Schmidt et al. High-density lipoprotein antagonizes the inhibitory effects of oxidized low-density lipoprotein and lysolecithin on soluble guanylyl cyclase. <i>Biochem Biophys Res Commun</i> . 1992 Jan 15;182(1):302-8
FN	Schroeder et al. Membrane cholesterol dynamics: cholesterol domains and kinetic pools. <i>Proc Soc Exp Biol Med</i> . 1991 Mar;196(3):235-52. Review
FO	Schuber et al. Polyamines as modulators of membrane fusion: aggregation and fusion of liposomes. <i>Biochemistry</i> . 1983 Dec 20;22(26):6134-40
FP	Schumaker et al. Sequential flotation ultracentrifugation. <i>Methods Enzymol.</i> 1986;128:155-70
FQ	Senior et al. Tissue distribution of liposomes exhibiting long half-lives in the circulation after intravenous injection. <i>Biochim Biophys Acta</i> . 1985 Mar 29;839(1):1-8
FR	Slotte JP. Lateral domain formation in mixed monolayers containing cholesterol and dipalmitoylphosphatidylcholine or N-palmitoylsphingomyelin. <i>Biochim Biophys Acta</i> . 1995 May 4;1235(2):419-27
FS	Small DM. George Lyman Duff memorial lecture. Progression and regression of atherosclerotic lesions. Insights from lipid physical biochemistry. <i>Arteriosclerosis</i> . 1988 Mar-Apr;8(2):103-29
FT	Soloviev et al. Phospholipid vesicles (liposomes) restore endothelium-dependent cholinergic relaxation in thoracic aorta from spontaneously hypertensive rats. <i>J Hypertens</i> . 1993 Jun;11(6):623-7
FU	Sparks et al. The charge and structural stability of apolipoprotein A-I in discoidal and spherical recombinant high density lipoprotein particles. <i>J Biol Chem</i> . 1992 Dec 25;267(36):25839-47.
FV	Sparks et al. Effect of cholesterol on the charge and structure of apolipoprotein A-I in recombinant high density lipoprotein particles. <i>J Biol Chem</i> . 1993 Nov 5;268(31):23250-7
FW	St Clair RW. Atherosclerosis regression in animal models: current concepts of cellular and biochemical mechanisms. <i>Prog Cardiovasc Dis</i> . 1983 Sep-Oct;26(2):109-32. Review
FX	Stafford et al. Regression of atherosclerosis effected by intravenous phospholipid. <i>Artery</i> , 1975, 1:106-114
FY	Stroes et al. Vascular function in the forearm of hypercholesterolaemic patients off and on lipid-lowering medication. <i>Lancet</i> . 1995 Aug 19;346(8973):467-71
FZ	Stuart et al. Effect of cholesterol on production of thromboxane b2 by platelets in vitro. <i>N Engl J Med</i> . 1980 Jan 3;302(1):6-1
GA	Sugiyama et al. Lipoproteins regulate C-type natriuretic peptide secretion from cultured vascular endothelial cells. <i>Arterioscler Thromb Vasc Biol</i> . 1995 Nov;15(11):1968-74.
GB	Sugiyama et al. Approaches that mitigate doxorubicin-induced delayed adverse effects on mitochondrial function in rat hearts; liposome-encapsulated doxorubicin or combination therapy with antioxidant. <i>Biochem Mol Biol Int</i> . 1995 Aug;36(5):1001-7
GC	Suzuki et al. Preparation of long-circulating immunoliposomes containing adriamycin by a novel method to coat immunoliposomes with poly(ethylene glycol). <i>Biochim Biophys Acta</i> . 1995 Aug 17;1245(1):9-16
GD	Tabas I, Li Y, Brocia RW, Xu SW, Swenson TL, Williams KJ. Lipoprotein lipase and sphingomyelinase synergistically enhance the association of atherogenic lipoproteins with smooth muscle cells and extracellular matrix. A possible mechanism for low density lipoprotein and lipoprotein(a) retention and macrophage foam cell formation. <i>J Biol Chem</i> . 1993 Sep 25;268(27):20419-32
GE	Takahashi et al. Increased concentrations of serum Lp(a) lipoprotein in patients with primary gout. <i>Ann Rheum Dis</i> . 1995 Feb;54(2):90-3
GF	Tall et al. Accelerated transfer of cholesteryl esters in dyslipidemic plasma. Role of cholesteryl ester transfer protein. <i>J Clin Invest</i> . 1987 Apr;79(4):1217-25.



		Tall et al. Lipoprotein-liposome interactions. <i>Methods Enzymol.</i> 1986;128:647-57
	GH	Tenda et al. The relationship between serum lipoprotein(a) and restenosis after initial electroporation percutaneous transluminal coronary angioplasty. <i>Jpn Circ J.</i> 1993 Aug;57(8):789-95
	GI	Thompson et al. Effects of intravenous phospholipid on low density lipoprotein turnover in man. <i>Eur J Clin Invest.</i> 1976 Jun 21;6(3):241-8
	GJ	Thompson et al. Contrasting effects on plasma lipoproteins of intravenous versus oral administration of a triacylglyceride-phospholipid emulsion. <i>Eur. J. Clin. Invest.</i> 1975, 5:373-384
	GK	Torchilin et al. New synthetic amphiphilic polymers for steric protection of liposomes in vivo. <i>J Pharm Sci.</i> 1995 Sep;84(9):1049-53.
	GL	Tricerri et al. Conformation of apolipoprotein AI in reconstituted lipoprotein particles and particle-membrane interaction: effect of cholesterol. <i>Biochim Biophys Acta.</i> 1998 Mar 6;1391(1):67-78.
	GM	Untracht SH. Intravascular metabolism of an artificial transporter of triacylglycerols. Alterations of serum lipoproteins resulting from total parenteral nutrition with Intralipid. <i>Biochim Biophys Acta.</i> 1982 Apr 15;711(1):176-92
	GN	van den Boom et al. In vivo turnover of phospholipids in rabbit erythrocytes. <i>Biochim Biophys Acta.</i> 1994 Dec 8;1215(3):314-20
	GO	Waligora et al. Effect of a hypercholesterolaemic diet and a single injection of polyunsaturated phosphatidyl choline solution on the activities of lipolytic enzymes, acyl-CoA synthetase and acyl-CoA cholesterol acyl-transferase in rabbit tissues. <i>Biochem Pharmacol.</i> 1975 Dec 15;24(24):2263-7
	GP	Williams, Q. and Williams, K. J. , Leakage from vitrified radioactive waste. <i>Lancet</i> 337:791, 1991
	GQ	Williams et al. Mechanisms by which lipoprotein lipase alters cellular metabolism of lipoprotein(a), low density lipoprotein, and nascent lipoproteins. Roles for low density lipoprotein receptors and heparan sulfate proteoglycans. <i>J Biol Chem.</i> 1992 Jul 5;267(19):13284-92
	GR	Williams, K. J. Fast-lane learning. <i>Science News</i> 138:339, 1990
	GS	Williams et al. Intravenously administered lecithin liposomes: a synthetic antiatherogenic lipid particle. <i>Perspect Biol Med.</i> 1984 Spring;27(3):417-31. Review
	GT	Williams et al. The unstirred water layer as a site of control of apolipoprotein B secretion. <i>J Biol Chem.</i> 1990 Oct 5;265(28):16741-4.
	GU	Williams, K. J. Dust wars. <i>Bull. Atomic. Sci.</i> 42:56, 1986
	GV	Williams, K. J. Riled over reading. <i>Science News.</i> 141:227&238, 1992
	GW	Williams et al. Low density lipoprotein receptor-independent hepatic uptake of a synthetic, cholesterol-scavenging lipoprotein: implications for the treatment of receptor-deficient atherosclerosis. <i>Proc Natl Acad Sci U S A.</i> 1988 Jan;85(1):242-6
	GX	Williams et al. Uptake of endogenous cholesterol by a synthetic lipoprotein. <i>Biochim Biophys Acta.</i> 1986 Feb 12;875(2):183-94.
	GY	Williams KJ, Tabas I. The response-to-retention hypothesis of early atherogenesis. <i>Arterioscler Thromb Vasc Biol.</i> 1995 May;15(5):551-61. Review
	GZ	Williams, K. J. The reader' NIH. <i>Science</i> 258:532, 1992
	HA	Williams et al. An analysis of the resident match. <i>N Engl J Med.</i> 1981 May 7;304(19):1165-6
	HB	Williams, K. J. et al. National Resident Matching Program. <i>N. Engl. J. Med.</i> 305:526, 1981
	HC	Williams KJ. A reexamination of the NRMP matching algorithm. National Resident Matching Program. <i>Acad Med.</i> 1995 Jun;70(6):470-6; discussion 490-4. Review
	HD	Williams, KJ., Comments on Peranson and Randlett's. The NRMP matching algorithm revisited: theory versus practice. <i>Acad. Med.</i> 70:485-489, 1995
	HE	Williams et al. Phospholipid liposomes acquire apolipoprotein E in atherogenic plasma and block cholesterol loading of cultured macrophages. <i>J Clin Invest.</i> 1987 May;79(5):1466-72
	HF	Williams et al. Recognition of vesicular lipoproteins by the apolipoprotein B,E receptor of cultured fibroblasts. <i>J Lipid Res.</i> 1986 Aug;27(8):892-900

RECEIVED
 AUG 14 2002
 TCH CENTER 607-1000



AUG 09 2002	G	Williams et al. Interactions of liposomes with lipoproteins: relevance to drug delivery systems and tho the treatment of atherosclerosis. In: <i>Liposomes as drug carriers: recent trends and progress</i> (Gregoriadis, G. ed.), John Wiley & Sons Limited: Chichester, England, 1988, pp 93-111
	HH	Williams et al. Lipoprotein lipase modulates net secretory output of apolipoprotein B in vitro. A possible pathophysiologic explanation for familial combined hyperlipidemia. <i>J Clin Invest.</i> 1991 Oct;88(4):1300-6
	HI	Yamamoto et al. Serum lipoprotein(a) levels before and after subtotal thyroidectomy in subjects with hyperthyroidism. <i>Metabolism.</i> 1995 Jan;44(1):4-7
EXAMINER <i>Kull</i>	DATE CONSIDERED <i>9/02</i>	
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

RECEIVED
 AUG 14 2002
 TECH CENTER 1000/2900